

PRODUCT DATASHEET LED SPOT 4x2 W 827

LED SPOT | Ceiling mounted luminaires available as GU10 or G9 spot luminaires



AREAS OF APPLICATION

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements
- Kitchens, workspaces
- Ceiling and wall surface mounting

PRODUCT BENEFITS

- Energy savings of up to 90 % compared to halogen lamp spotlights
- Timeless design
- Flexible thanks to replaceable LED lamps
- Easy mounting

PRODUCT FEATURES

- Luminaire family features five versions with up to 6 spot heads
- Available as GU10 or G9 spot luminaires
- Housing surface made of brushed nickel
- G9 spot versions with diffuser made of frosted glass
- Adjustable head



TECHNICAL DATA


Electrical data

Nominal wattage	7.20 W	
Operating mode	Mains voltage	
Nominal voltage	220240 V	
Mains frequency	50/60 Hz	

Photometrical data

Color temperature	2700 K	
Color rendering index Ra	>80	
Light color (designation)	Warm White	
Luminous flux	800 lm	

Dimensions & weight



Length	675.0 mm
Width	80.0 mm
Height	170.0 mm
Product weight	856.00 g

Colors & materials

Body material	Aluminum
Housing color	Gray
Product color	Gray

Lifespan

Lifespan	25000 h
----------	---------

Additional product data

Mounting type	Surface
---------------	---------

Mounting location Ceiling / Wall

Capabilities

Dimmable	No	
Adjustable	Yes	
Type of connection	Screw terminal	
Holder designation	GU10	

Certificates & standards

Protection class	1
Type of protection	IP20

EQUIPMENT / ACCESSORIES

- Equipped with PAR16 or PIN G9 LED lamps
- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075048096	LED SPOT 4x2 W 827	Shipping carton box	405 mm x 285 mm x 400 mm	46.17 dm³	9348.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.