

# PRODUCT DATASHEET

## ENDURA STYLE UpDown Midi Square 14 W DG

ENDURA STYLE UPDOWN MIDI | Luminaire with light outlet up and down



---

### AREAS OF APPLICATION

- Outdoor use (only roofed areas)
- Building facades
- Entrance lighting
- Patios, balconies

---

### PRODUCT BENEFITS

- 5 years guarantee
- Easy and quick installation
- Energy-efficient thanks to LED technology

---

### PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Type of protection: IP44
- Die-cast aluminum housing
- Available in round and square form



## TECHNICAL DATA


### Electrical data

Nominal wattage	13.50 W
Operating mode	Electronic control gear (ECG)
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

### Photometrical data

Color temperature	3000 K
Color rendering index Ra	≥80
Light color (designation)	Warm White
Luminous flux	500 lm
Luminous efficacy	37 lm/W
Luminous efficacy of lamp in luminaire	37 lm/W

### Dimensions & weight



Length	106.0 mm
Width	94.0 mm
Height	240.0 mm
Product weight	950.00 g

### Colors & materials

Body material	Aluminum
Housing color	Dark gray
Product color	Dark gray
Cover material	Glass

### Temperatures & operating conditions

Ambient temperature range	-20...40 °C
---------------------------	-------------

## Additional product data

<b>Mounting type</b>	Surface
----------------------	---------

## Capabilities

<b>Dimmable</b>	No
<b>Type of connection</b>	Terminal

## Certificates &amp; standards

<b>Protection class</b>	I
<b>Type of protection</b>	IP44
<b>Standards</b>	CE/EAC/REACH/RoHS

## EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

## LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075123298	ENDURA STYLE UpDown Midi Square 14 W DG	Shipping carton box 6	450 mm x 311 mm x 245 mm	34.29 dm <sup>3</sup>	7363.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## REFERENCES / LINKS

For Guarantee see

- ▶ [www.osram-lamps.com/guarantee](http://www.osram-lamps.com/guarantee)

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.