

PRELIMINARY-PRODUCT DATASHEET 12 W 0

Wall and ceiling luminaires

TECHNICAL DATA

Electrical data

Nominal wattage	15.00 W
Operating mode	Mains voltage
Nominal voltage	220240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K	
Color rendering index Ra	≥80	
Light color (designation)	Warm White	
Luminous flux	750 lm	
Luminous efficacy	50 lm/W	
Luminous efficacy of lamp in luminaire	50 lm/W	

Dimensions & weight

Length	198.0 mm
Width	198.0 mm
Height	38.0 mm
Product weight	705.00 g

Colors & materials

Body material	Aluminum
Housing color	White
Product color	White

Temperatures & operating conditions

Ambient temperature range	Ambient temperature range	-2040 °C
---------------------------	---------------------------	----------

Lifespan

Lifespan	20000 h

Additional product data

Mounting type	Surface

Capabilities

Dimmable	No	
Type of connection	Terminal	

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/REACH/RoHS

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075167322	12 W 0	Shipping carton box 8	430 mm x 220 mm x 200 mm	18.92 dm³	6316.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.