

# **PRODUCT DATASHEET**ENDURA STYLE Lantern Modern 500 12 W DG

**ENDURA STYLE LANTERN MODERN | Contemporary lanterns with light guide for low-glare illumination** 



#### **AREAS OF APPLICATION**

- Outdoor use (IP44)
- Building facades
- Gardens, balconies and other outdoor areas
- Pathway lighting
- Driveways

#### **PRODUCT BENEFITS**

- Energy-efficient thanks to LED technology
- Easy and quick installation

#### **PRODUCT FEATURES**

- Very bright and functional outdoor LED luminaires
- Die-cast aluminum housing
- Available as wall and bollard luminaires



# **TECHNICAL DATA**

## Electrical data

Nominal wattage	11.50 W
Operating mode	Mains voltage
Nominal voltage	220240 V
Mains frequency	50/60 Hz

## Photometrical data

Color temperature	3000 K	
Color rendering index Ra	>80	
Light color (designation)	Warm White	
Luminous flux	610 lm	

# Dimensions & weight



Diameter	110.0 mm
Height	500.0 mm
Product weight	1900.00 g

## Colors & materials

Body material	Aluminum
Housing color	Dark gray
Product color	Dark gray
Cover material	Polycarbonate (PC)

# Temperatures & operating conditions

Ambient temperature range	-2040 °C
---------------------------	----------

# Additional product data

Mounting type	Surface
---------------	---------

Mounting location	Wall

## Capabilities

Dimmable	No
Type of connection	Screw terminal
LED module replaceable	Not replaceable

#### Certificates & standards

Protection class	1
Type of protection	IP44
Standards	CE/EAC/REACH/RoHS

#### **EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

## **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205031	Folding carton box 1	194 mm x 194 mm x 536 mm	1998.00 g	20.17 dm <sup>3</sup>
4058075205048	Shipping carton box 2	405 mm x 205 mm x 555 mm	4618.00 g	46.08 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.