









SMART⁺ ORBIS MOON



	EAN	W	lm	K	IP	⌀ (°C)	V~	mA	Hz	PF
SMART WIFI ORBIS MOON RD 380 TW BK	4058075486362	24	2500	3000-6500	20	-20...+40	220-240	128	50/60	>0.5
SMART WIFI ORBIS MOON RD 480 TW BK	4058075486386	32	3300	3000-6500	20	-20...+40	220-240	150	50/60	>0.9
SMART WIFI ORBIS MOON RD 380 TW GR	4058075486409	24	2500	3000-6500	20	-20...+40	220-240	128	50/60	>0.5
SMART WIFI ORBIS MOON RD 480 TW GR	4058075486423	32	3300	3000-6500	20	-20...+40	220-240	150	50/60	>0.9




801 g
4058075486362
4058075486409

3x  3x  1x 



1309 g
4058075486386
4058075486423

mm



	H	Ø
Ø380 24W BK	85	380
Ø480 32W BK	86	480
Ø380 24W GR	85	380
Ø480 32W GR	86	480



1


ON ON ON ON
OFF OFF OFF OFF

↑ ON
↓ OFF

2





3








4058075486362
4058075486409

4



4058075486386
4058075486423





C10449057
G11099264
27.07.2020



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com